



CARGO HARDWARE





HINGES, TIE DOWNS, BUMPERS & MORE

HR9-3-GZ

RAMP ROLLER HINGE 9", 3 PIECE DESIGN
PLAIN FINISH, WITH GREASE ZERK
ALSO AVAILABLE IN 12" LENGTH



HBR10-GZ

RAMP ROLLER HINGE 10" OFFSET
PLAIN FINISH, WITH GREASE ZERK



GBCSA

ALUMINUM CARGO GRAB BAR
COUNTER SUNK HOLES



GBCSBKP

BLACK PLASTIC CARGO GRAB BAR
CONCEALED SCREW



H200X72A-NH

2" X 72" CONTINUOUS HINGE, NO HOLES OR BENDS
.060 THICK, .087 PIN, 1/2 NUCKLES, ALUMINUM
ALSO AVAILABLE IN STEEL



JLB433X602M/P977

JOINING LINK BAR WELD ON .433 X 6.02"
PLAIN STEEL
ALSO AVAILABLE IN .488 X 6.77"



JL38X330F

JOINING LINK 3/8 X 3.30"
FORGED STEEL
ALSO AVAILABLE IN 7/16 DIAMETER



1-LC-UP-GZ

RAMP ROLLER HINGE, 6" STANDARD BREAK
PLAIN FINISH, WITH GREASE ZERK



TD2500

D-RING TIE DOWN, OVAL
W/CENTER HOLE, 2500 LB CAPACITY



TD6001

D-RING TIE DOWN, HEAVY DUTY
W/ROUND HOLES, 6000 LB CAPACITY



TD858

D-RING TIE DOWN, 4" ROUND
PLASTIC BASE, 1200 LB CAPACITY



TD6000

D-RING TIE DOWN, HEAVY DUTY
W/SQUARE HOLES, 6000 LB CAPACITY



RB250RBK

2-1/2" RAMP DOOR BUMPER
BLACK RUBBER



RB250X200BK/P973

2-1/2" OD X 2" H RUBBER BUMPER
BLACK



RBHD600X300BK/P974

6" X 3" RUBBER BUMPER, HIGH DOCK
BLACK





LOCKS, LATCHES & MORE

DHB-CB-6Z

6" T-STYLE DOOR HOLD BACK
ZINC PLATED
ALSO AVAILABLE IN 10" LENGTH



MDSUAZ-263106

8" MANUAL DOOR SUPPORT ARM
CLOSED LENGTH W/MOUNTING BRACKETS
ZINC PLATED



DHB-CB

3 1/2" DOOR HOLD BACK
430 STAINLESS



DHB

6" T-STYLE PLASTIC DOOR HOLD BACK
WITHOUT BUMPER
DHB-BKP6 - BLACK *
DHB-WP-6 - WHITE



TTEDL43610

TRAVEL TRAILER ENTRY DOOR LATCH W/ KEYED DEADBOLT
INCLUDES STRIKE PLATES & MOUNTING HARDWARE
TTEDL43610PC - POLISHED CHROME *
TTEDL43610-BK - BLACK
TTEDL43610-W - WHITE



TL039

FINGER TRIGGER LATCH FLUSH MOUNT
TL039-PC - POLISHED CHROME *
TL039-BK - BLACK
TL039-W - WHITE



L14N

14" LOW HINGE, NO FORM WELD
ZINC PLATED
L14N - NO HOLES
L14-WH - WITH HOLES *



L164-OM

16" LOW HINGE, 1/4" OFFSET OVERMOLD
ZINC PLATED
ALSO AVAILABLE IN 14"



L140-CM

14" FLUSH MOUNT TRAILER HINGE
OVERMOLD OFFSET W/ MOUNTING HOLES
BRIGHT ZINC PLATED



L14-2532-OM

14" TRAILER HINGE, 25/32" OFFSET
OVERMOLD W/ MOUNTING HOLES
NEUTRAL ZINC



HSP6500S

BAR LOCK HASP
SELF LOCKING KEYED PLASTIC
HSP6500SLBK-K - BLACK *
HSP6500SLW-K - WHITE



Lock only, Handle not included

SGL500Z/P918

5" X 3" W/FLAT & BENT CATCH
SLIDING GATE LATCH
ZINC PLATED



LPLATEBRKT-W/S

LICENSE PLATE HOLDER
BLACK PLASTIC W/SCREWS





SAFETY CHAIN

SAFETY CHAINS are the chains that are connected from the trailer tongue to the tow vehicle.

They are an essential piece for making sure your trailer is properly connected to your tow vehicle.

Safety chains are also necessary so that you can still safely guide your trailer and maintain control as you make your way to a safe stopping point in the event of a ball or coupler failure.

Two safety chains are required and must be attached to their own chain retainers.



STEEL S-HOOK



CLEVIS SLIP HOOK

ABS safety chains are available in various lengths & load ratings, & fittings. Available in Zinc & Yellow Zinc finish. All products are D.O.T certified and tested for quality.

Working load limit (WLL) is the maximum working load designed by the manufacturer. This load represents a force that is much less than required to make the product fail or yield - also known as breaking load.

Ask your ABS sales representative about safety chain today!


E-TRACK



BST10/BKP
10FT HORIZONTAL E-TRACK
BLACK POWDER COATED

ALSO AVAILABLE IN PLAIN FINISH

CUSTOM LENGTHS AVAILABLE UPON REQUEST



Used for securing straps to inside walls or beds of trucks and trailers.



BAR & CAM LOCKS

BAR LOCKS

TAMPER PROOF, 14" BLACK RUBBER HANDLE, ZINC PLATED STEEL, AVAILABLE WITH HASP

AVAILABLE IN 36", 45" AND 55" LENGTHS

120/PALLET



U.S. PATENT NO 10,024,089

Clear Coat Protectant Zinc Coating for Superior Corrosion Resistance

CAM LOCKS

TAMPER PROOF, 14" BLACK RUBBER HANDLE, ZINC PLATED STEEL, AVAILABLE WITH HASP

COMES WITH STANDARD ROD GUIDES, TOP & BOTTOM HOOK, TOP & BOTTOM LATCH AVAILABLE IN 78" AND 108" LENGTHS

120/PALLET



TLATCH-TOP LATCH

TOOK-TOP HOOK

RCL2-T-ROD GUIDE TOP RCL2-B-ROD GUIDE BOTTOM

CLA1-SLEEVE - SLEEVE
HSP6200-1PC HASP ASSEMBLY

BOOK-BOTTOM HOOK
BLATCH-BOTTOM LATCH

CAM LOCK KIT

1 HANDLE, 1 HASP, 1 HINGE

CLK-1-1RH - REGULAR ROLLER HINGE

CLK-1-1-OH - OFFSET ROLLER HINGE



HSP6100

HASP ASSEMBLY - 2 PIECE RIVETED DESIGN
ZINC PLATED

HSP6200

HASP ASSEMBLY - 1 PIECE RIVETED DESIGN
ZINC PLATED

BLACK-OUT LINE





TAMPERPROOF BARLOCK HARDWARE



OUR UNIQUE DESIGN ALLOWS YOU TO SWITCH FROM TAMPERPROOF TO NON-TAMPERPROOF EASILY AND EFFICIENTLY.

KEY FEATURES

- Clear coat protective zinc coating
- Superior corrosion resistance
- Strength tested & approved
- Thick, sturdy design
- Available in 24", 36", 45", 55"
- 14" Black rubber handle
- Also available in black

NEW & PATENTED!



U.S. PATENT NO. 10,204,089



For Enclosed Cargo Trailers

Hasps Sold Separately



AVAILABLE ONLY AT ABS FASTENERS



JACK & COUPLER COMPONENTS



A-FRAME TRAILER COUPLER

- 2 Inch Ball Coupler
(Also available in 2-5/16")
- Weld-On
- 5,000lbs & 14,000lbs.
- Standard Coupler
- Yoke Latch



TOP WIND JACKS

- Standard A-Frame Jack
- 14 Inch Lift
- No Wheel or Foot
- Available in 2,000 & 5,000lbs
- No Drop Leg

JACK FOOT STANDS & FEET



TRAVEL TRAILER LOCKS



ENTRY DOOR LOCK FEATURES

- Glass Filled Nylon Design-UV Resistant
- Keyed Cylinder & Deadbolt
- Available in Black, White & Chrome
- Available in Custom Keyways
- Tested to 200,000 cycles.
- Strike Plates & mounting hardware included.



Available in Black, White & Chrome

BAR LOCK HASPS FEATURES

- Zinc Alloy Design
- Keyed Cylinder
- Squared or Modern Design available
- Mounting hardware included
- Custom Keyways available (Keyed alike program)



Squared or Modern Design available





JS-1000

CLEAR 1000 COATING

GUARANTEED PERFORMANCE THAT OUTPERFORMS AND OUTLASTS OTHER PREMIUM COATINGS



THE PROOF IS IN THE TESTING!

Our CLEAR-1000 formula has been proven to remain rust-free in over 1,000 hours of salt spray testing which is an astonishing 20-25 times the corrosion resistance of regular electro-zinc products and considerably more than the best known coatings on the market.

CLEAR-1000 delivers the kind of performance that you've only been able to get by making the jump to costly stainless steel fasteners at a far more cost effective price.

OTHER FEATURES INCLUDE

High lubricity for reduced tapping torque

Can be powder coated for color match and increased rust resistance.

Totally compatible with aluminum and other metals used in construction.

Hexavalent Chromium Free, R.O.H.S compliant and environmentally friendly!



PERFECT FOR WINDOWS, DOORS, TRAILERS AND A VARIETY OF OUTDOOR APPLICATIONS





QUICK REFERENCE

A quick, visual reference of common fasteners.

BOLTS



Hex Cap Screw



Hex Tap Bolt



Hex Machine Bolt



Carriage Bolt



Hex Lag Bolt



Flange Bolt



Elevator Bolt



U-Bolt



Hanger Bolt



Eye Bolt



Track Bolt



Joint Connector Bolt

SOCKETS



Socket Head Cap Screw



Flat Head Socket Cap Screw



Button Head Socket Cap Screw



Socket Head Shoulder Screw



Socket Set Screw



Hex Key

NUTS



Finished Hex Nut



Finished Hex Jam Nut



Machine Screw Nut



Square Machine Screw Nut



Coupling Nut



Flange Nut



Acorn Nut



Nylon Insert Lock Nut



Keps Lock Nut



Slotted Nut



Square Nut



Wing Nut



Tee Nut



Propell Nut



Joint Connector Nut



Weld Nut



Cross Dowell Nut



Flat Retainer Nut



Insert Nut

WASHERS

USS Flat Washer



SAE Flat Washer



Fender Washer



Bonded Sealing Washer



Medium Split Flat Washer



Finishing Washers



Internal Tooth Lockwasher



External Tooth Lockwasher



Internal/External Tooth Lockwasher



Torque Washer

PINS



Cotter Pin



Dowel Pin



Roll Pin



Hitch Pin Clip



Clevis Pin



Bed Pin



Bullet Pin



Racking Pin

SCREWS



Machine Screw



Sheet Metal Screw



Self Drilling Screw



Thread Cutting Screw



Wood Screw



Drywall Screw



Thumb Screw



Dowel Screw

RIVETS



Blind Rivets - Aluminum, Steel & Stainless Steel




Large Flange



Semi-Tubular

NAILS

Box Nails



Common Nails

Drive Screw Nails



Roofing Nails

Duplex Nails




Joist Hanger Nails



Masonry Nails

Ring Shank Nails



Drywall Nails

Many plating, coating, and finish options are available on most products. Just let us know your requirements!



PAINTING SERVICES

FASTENER PAINTING

- Can run many sizes and colors at the same time
- Diameters: #4 thru 3/8
- Lengths: Up to 3"
- Add Neoprene or detachable washers
- Powder Coating
- ISO:9000 Compatible
- Screws, Blind Rivets, Nuts, Washers
- Must be clean - free of oil or wax
- Pantone Colors - Anything under the rainbow
- Any Finish - From high gloss to flat
- Metallic and UV resistant also available
- Polyurethane or Waterborne



BENEFITS OF PAINTING...

- Painting offers a seamless look to your project, helping the fastener blend in to the surrounding surface.
- It also offers corrosion and rust resistance, so your fastener will last longer when exposed to the elements.

TYPES OF FASTENERS

- Screws
- Bolts
- Washers
- Rivets
- Nails

COMMON APPLICATIONS

- Rain Gutters
- Metal Roofing
- Electrical Projects
- Decking
- Carpentry
- Truck & Trailer
- Vinyl Fencing

**ANY COLOR...
ANY FINISH!**

Need a custom color for a job? DONE!





PLATING REFERENCE

NICKEL ELECTROPLATE

- Decorative silver appearance
- Good wear
- Mild corrosion resistance - for indoor use



ZINC ELECTROPLATE

- Bright blue or white appearance
- Moderate corrosion resistance - for suburban use

ZINC MECHANICAL PLATE

- Similar in appearance to electroplate
- Less susceptible to hydrogen embrittlement
- Moderate corrosion resistance - for suburban use



ZINC ELECTROPLATE - YELLOW CHROMATE

- Thicker conversion than clear
- Severe corrosion resistance - for industrial use



ZINC ELECTROPLATE - OLIVE DRAB CHROMATE

- Thicker coating than yellow
- Severe corrosion resistance - for industrial use

ZINC MECHANICAL - BRIGHT CHROMATE

- Thin bright conversion coating
- Can be dyed for paint bonding
- Moderate corrosion resistance - for suburban use

ZINC MECHANICAL - YELLOW CHROMATE

- Thicker conversion than clear
- Increased corrosion resistance - for industrial use

ZINC MECHANICAL - OLIVE DRAB CHROMATE

- Thicker coating than clear
- Increased corrosion resistance - for industrial use

ZINC MECHANICAL - CHROMATE + ORGANIC

- Additional organic (cured) coating
- Increased corrosion resistance - for industrial use

BLACK OXIDE + OIL

- Porous & thin
- Mild corrosion resistance - for indoor use



BRASS PLATE - LACQUERED

- Decorative electroplated finish
- Mild corrosion resistance - for indoor use

CHROMIUM ELECTROPLATE

- Bright lustrous blue / white finish
- Mild corrosion resistance - for indoor use

AL-1000 COATING

- Recommended on parts where stress and corrosion are a problem
- Uniform decorative finish
- No hydrogen embrittlement
- Excellent solvent & corrosion resistance
- Hard, durable coating will take abuse without chipping or scratching Can be applied to Carbon Steel, Alloy Steel, Stainless Steel, Titanium, and Aluminum Alloys.

JS-1000 COATING

- Proven to remain 100% rust free in over 1000 hours of salt spray testing
- High lubricity for reduced tapping torque
- Hexavalent Chromium Free and RoHS compliant
- Completely non-toxic & environmentally friendly
- Can be powder coated for color match which also increases rust resistance



AL-2000 COATING

- No electrochemical or chemical atmosphere corrosion
- Excellent corrosion and solvent resistance
- Uniform decorative finish in black, silver & gold
- Absolutely no hydrogen embrittlement



COPPER ELECTROPLATE - LACQUERED

- Bright decorative finish
- Electrically Conductive
- Mild corrosion resistance - for indoor use

CHROMIUM ELECTROPLATE - COPPER & NICKEL UNDERCOAT

- Surface is hard and abrasive resistant
- Primarily for decorative use
- Mild corrosion resistance - for indoor use

HOT DIP ZINC MECHANICAL GALVANIZED

- Dark grey, very thick coating
- Severe corrosion resistance - for industrial use

WHAT IS...

Conversion Coating

A chemical reaction converts part of the metal surface into the coating.

Hydrogen Embrittlement

The accidental introduction of hydrogen into the metal reduces tensile strength of material which could lead to fractures or cracks in the fastener.

RoHS Compliant

Stands for: Restrictions of Hazardous Substances. It restricts use of 10 hazardous materials found in electrical and electronic products.